





# LARSEN STRINGS<sup>A/S</sup>

Larsen Strings A/S, Elholm 6 A, DK-6400 Sønderborg, Denmark



## Information Sheet


### Larsen Fractional for Cello

#### Keeping all things in proportion

Our aim is to offer Larsen cello for smaller instruments without compromising the Original Larsen sound. Our fractionals are purpose designed, perfectly proportioned versions of our full size Originals.

For the first time ever, this set of strings enables uncompromised power and sound quality similar to that of full sized quality strings.

The same high grade steel cores wound for A and D in stainless steel flat wire, while G and C are based on a concentric multi-stranded steel core wound with high grade tungsten. All supplied bespoke for 3/4, 1/2, 1/4, and 1/8 size cello. Medium tension only.



| Larsen Fractional for Cello |                     | Medium kg | Medium lbs |
|-----------------------------|---------------------|-----------|------------|
| Type                        | Tailpiece/Peg Silks |           |            |
| Cello A 3/4                 |                     | 16.5      | 36.4       |
| Cello D 3/4                 |                     | 13.4      | 29.5       |
| Cello G 3/4                 |                     | 12.9      | 28.4       |
| Cello C 3/4                 |                     | 12.9      | 28.4       |
| Cello A 1/2                 |                     | 15.7      | 34.6       |
| Cello D 1/2                 |                     | 12.3      | 27.1       |
| Cello G 1/2                 |                     | 11.2      | 24.7       |
| Cello C 1/2                 |                     | 11.2      | 24.7       |
| Cello A 1/4                 |                     | 14.0      | 30.9       |
| Cello D 1/4                 |                     | 11.2      | 24.7       |
| Cello G 1/4                 |                     | 10.3      | 22.7       |
| Cello C 1/4                 |                     | 10.3      | 22.7       |
| Cello A 1/8                 |                     | 12.1      | 26.7       |
| Cello D 1/8                 |                     | 9.7       | 21.4       |
| Cello G 1/8                 |                     | 9.2       | 20.3       |
| Cello C 1/8                 |                     | 8.9       | 19.6       |

Reference pitch frequency: 440 Hz Free vibrating length: Cello 3/4: 650 mm / 25.6 in; Cello 1/2: 600 mm / 23.6 in; Cello 1/4: 545 mm / 21.5 in; Cello 1/8: 480 mm / 18.9 in

