



For over a decade, Roland's revolutionary V-Drums have led the industry

in natural sound quality and incredible playability.

With the dawn of SuperNATURAL-powered V-Drums,

the electronic drum set reaches a new pinnacle of expression, authenticity, and creativity.



New V-Pro Series



New V-Tour Series



New V-Compact Series





Artists with V-Drums



Neil Pear



Craig Blundell



Daniel Erlandsson



Chad Wackerman



Dirk Brand



Michael Schack



Grean Rissonette



Thomas Lan



Johnny Rahh



Omar Hakim

V-Pro Series TD-30KV

Flagship Kit for the Professional Stage

SuperNATURAL Sound Engine

Expressive, accurate playability with new V-Hi-Hat and V-Pads

Solid stage set with metallic color finish

V-Edit function for customizing sounds

Ambience simulator with dedicated fader

USB ports for audio playback via USB Flash


Memory and USB-MIDI/AUDIO I/F





V-Pro Series TD-30KV

| V-I | ro Series 1 D-3 | OULA | |
|-----|-----------------|---------------------|-----|
| 1 | TD-30 | Drum Sound Module | × 1 |
| 2 | KD-140-BC | V-Kick | × 1 |
| 3 | PD-128S-BC | V-Pad Snare | × 1 |
| 4 | PD-108-BC | V-Pad | × 2 |
| 5 | PD-128-BC | V-Pad | × 2 |
| 6 | VH-13-MG | V-Hi-Hat | × 1 |
| 7 | CY-14C-MG | V-Cymbal Crash | × 2 |
| 8 | CY-15R-MG | V-Cymbal Ride | × 1 |
| | MDS-25 | Drum Stand (option) | × 1 |



- 160 cm (63 inches)
- *Select a stand that can accept a 12" diameter fixed snare.
- *A mesh material is used for the head of the KD-140-BC. The use of plastic beaters is recommended due to faster wear of felt and wood beaters.

V-Pro Series TD-30K

The Ideal Drum Kit for Professional Recording

SuperNATURAL Sound Engine

Expressive playability with new lightweight 10" V-Pads

Compact and solid drum stand (optional)

V-Edit function for customizing sounds

Ambience simulator with dedicated fader

USB ports for audio playback via USB Flash Memory and USB-MIDI/AUDIO I/F



V-Pro Series TD-30K

Roland

| L | V -1 | io series i D . | JUIN | |
|---|------|-----------------|-----------------------------|-----|
| ſ | 1 | TD-30 | Drum Sound Module | × 1 |
| l | 2 | KD-120BK | V-Kick | × 1 |
| l | 3 | PD-125BK | V-Pad (for Snare) | × 1 |
| l | 4 | PDX-100 | V-Pad | × 3 |
| l | 5 | VH-11 | V-Hi-Hat | × 1 |
| l | 6 | CY-12C | V-Cymbal Crash | × 1 |
| l | 7 | CY-15R | V-Cymbal Ride | × 1 |
| | 8 | CY-13R | V-Cymbal Ride (for Crash 2) | × 1 |
| | | MDS-12V | Drum Stand (option) | × 1 |

(See out (1-74) in the first of the first out of the firs

*A mesh material is used for the head of the KD-120BK. The use of plastic beaters is recommended due to faster wear of felt and wood beaters.

150 cm (59-1/16 inches)

V-Tour Series TD-15KV **TD-15K**

V-Drums for small Gigs and Recording Sessions

New TD-15 sound engine powered by SuperNATURAL

Expressive and accurate playability

All mesh-head pads with authentic drumming feel

Assignable CLICK out

and independent PHONES volume control

QUICK EDIT for customizing sounds

Various types of room ambience and multi-effects

QUICK REC and COACH mode for training


USB ports for audio playback via USB Flash Memory and USB-MIDI/AUDIO I/F



Superb Playability with V-Hi-Hat and Lightweight V-Pads

V-Tour Series TD-15KV


| v | Tour Series | 10 131(1 | |
|---|-------------|----------------------|-----|
| 1 | TD-15 | Drum Sound Module | × 1 |
| 2 | KD-9 | Kick Pad | × 1 |
| 3 | PDX-100 | V-Pad (Snare, Tom 3) | × 2 |
| 4 | PD-85BK | V-Pad (Tom 1, Tom 2) | × 2 |
| 5 | VH-11 | V-Hi-Hat | × 1 |
| 6 | CY-12C | V-Cymbal Crash | × 1 |
| 7 | CY-13R | V-Cymbal Ride | × 1 |
| | MDS-9V | Drum Stand (option) | × 1 |
| | | | |





Value-Priced Kit with Light-weighted V-Pads/V-Cymbals

| V | Tour Series | TD-15K | |
|---|-------------|----------------------|-----|
| 1 | TD-15 | Drum Sound Module | × 1 |
| 2 | KD-9 | Kick Pad | × 1 |
| 3 | PDX-8 | V-Pad (Snare, Tom 3) | × 2 |
| 4 | PDX-6 | V-Pad (Tom 1, Tom 2) | × 2 |
| 5 | CY-5 | Cymbal Pad | × 1 |
| 6 | FD-8 | Hi-Hat Controller | × 1 |
| 7 | CY-12C | V-Cymbal Crash | × 1 |
| 8 | CY-13R | V-Cymbal Ride | × 1 |
| | MDS-9V | Drum Stand (option) | × 1 |



V-Compact Series TD-11KV **TD-11K**

Compact V-Drums for Fun and Traini

New TD-11 sound engine powered by SuperNATURAL

Expressive playability

Flexible, space-saving setup

QUICK REC and COACH mode for training

USB ports for audio playback via USB Flash

Memory and USB-MIDI/AUDIO I/F






Affordable Training Kit with Lightweight V-Pads/V-Cymbals

V-Compact Series TD-11KV


| V- | Compact | Selles ID I IIV | |
|----|---------|----------------------|-----|
| 1 | TD-11 | Drum Sound Module | × 1 |
| 2 | KD-9 | Kick Pad | × 1 |
| 3 | PDX-8 | V-Pad (Snare, Tom 3) | × 2 |
| 4 | PDX-6 | V-Pad (Tom 1, Tom 2) | × 2 |
| 5 | CY-5 | Cymbal Pad | × 1 |
| 6 | FD-8 | Hi-Hat Controller | × 1 |
| 7 | CY-12C | V-Cymbal Crash | × 1 |
| 8 | CY-13R | V-Cymbal Ride | × 1 |
| | MDS-4V | Drum Stand (option) | × 1 |





Equipped with a Mesh-head V-Pad (PDX-8) for the Snare


| V- | -Compact | Series ID-IIK | |
|----|----------|---------------------|-----|
| 1 | TD-11 | Drum Sound Module | × 1 |
| 2 | KD-9 | Kick Pad | × 1 |
| 3 | PDX-8 | V-Pad (for Snare) | × 1 |
| 4 | PD-8A | Pad | × 3 |
| 5 | CY-5 | Cymbal Pad | × 1 |
| 6 | FD-8 | Hi-Hat Controller | × 1 |
| 7 | CY-8 | Cymbal Pad | × 2 |
| | MDS-4V | Drum Stand (ontion) | × 1 |



SuperNATURAL Power ...

Roland takes digital drums to a new height with the dynamics and sensitivity makes every nuance

SuperNATURAL



SuperNATURAL

SuperNATURAL

Taking advantage of Behavior Modeling technology, SuperNATURAL is Roland's exclusive sound set that achieves a new level of realism and expression that were difficult to realize with previous sound generators.

Behavior Modeling Technology

Not only physical modeling of the instruments, Roland takes it a step further by modeling the instrument's distinctive behavior that responds to how the performer plays, resulting in true-to-life, expressive sounds in realtime.

SuperNATURAL brings sounds to life with true

Ultimate feel and expression



V-Pad

Our new V-Pads provide a smoother transition in sound between head- and

rim-shots. The pad perfectly translates the strength and location of the hit. The dynamics, positional sensing, and even the transition between full and shallow rim shots have become smoother.



V-Hi-Hat

The new V-Hi-Hat VH-13 offers a perfectly smooth transition when playing the

hi-hat from a fully open position and slowly closing it. Playing in the half-open or even in a slightly open position, the sounds remains constant. And the foot-closed sounds and foot splashes have become easier to control.



V-Cymbal

Crash — From delicate strokes, swell rolls, or powerful crashes, the

V-Cymbal translates the dynamic contrasts in tone smoothly and accurately.

Ride — Enhanced dynamics and positional sensing result in natural feel and sound variation, from delicate swing to full-impact rock.

Play, Feel, Believe

implementation of its exclusive SuperNATURAL concept, improved of playing drums feel even more complete and natural.

Focus, innovation, dedication — Roland's commitment to producing the finest and most innovative musical instruments

Over the decades, we have remained committed to producing uncompromised expressive musical instruments, and V-Drums have been a crowning achievement. To enhance the power of V-Drums, we have focused on three key areas: (1) interface – V-Pads, V-Cymbals, V-Hi-Hat, etc.; (2) sensing – shot strength, positioning, accurate detection of impact; and (3) sound engine – expressiveness of the sound itself. With each element perfectly and delicately intertwined, and with priority given to providing a supreme playing experience for the drummer, V-Drums have become the undisputed world leader in electronic percussion.




Unprecedented high-speed processing

In order to translate the drummer's technique more precisely, the V-Drums sound engine features lightning-fast processing from impact to sound. The reaction is instant, accurate, and natural.

Authentic behavioral reaction to repeated hits

When 16th-notes are played on a snare drum, for example, the vibration of the pad's surface affects each note's tone. By modeling these behaviors when hitting repeatedly, V-Drums can naturally translate rudiments such as press rolls, flams, paradiddles, and rim shots.



For more details

www.roland.com/V-Drums/

expression, comfort, and realism.

TD-30

Ambience optimized for drums



Ambience

How the drummer hears the kit and how the drum sounds are perceived within

the music have been given priority, and by taking advantage of enhanced DSP power, we've created a new ambience section has been created. On the front panel of the TD-30 is a dedicated fader for controlling the overall ambience balance.



Room Ambience — You can adjust the room size and the room mic position with a choice of spaces that include a concert hall, studio, club, arena, etc.







Overhead Mic — For studio recording, placement of the overhead mics is a must to guarantee a natural presence and brightness in the sound.



Reverb — A customized reverb has been specially created for the snare, kick, and toms, helping them to musically blend together and resonate naturally.

For more details

www.roland.com/V-Drums/

TD-30 Drum Sound Module











Flagship Drum Sound Module with SuperNATURAL Sounds

The TD-30 drum sound module has been designed for the V-Drums V-Pro series. With SuperNATURAL sounds produced by Behavior Modeling, the TD-30 provides superior sound quality with natural response for a wide variety of drumming techniques and dynamics.

Newly developed V-Drums sound module powered by SuperNATURAL >>> see more on P.08

| Expressive and accurate playability produced by Behavior Modeling

I Professional V-Edit mode for customizing sounds

Choose one of 21 customizable effects

| Dedicated "Ambience" fader with new room-ambience

and overhead-mic simulation

Copy preset memory data to user memory, and then edit it as desired

I Audio files (WAV, MP3) can be played back from a USB memory

I Onboard sequencer records and plays back MIDI data

I USB memory port for data backup, including the 100 drum kits, and audio files (WAV/MP3)

| Separate USB-MIDI/Audio port for computer connectivity

ITD-20 and TD-20X data can also be imported into the TD-30



Rear Panel



TD-30 Drum Sound Module Specifications

• Drum Kits 100 • Instruments Drum Instruments: 1,100, Backing Instruments: 262 • Drum Kit Chains 16 chains (32 steps per chain) • Effect Types Pad Compressor (each pad), Pad Equalizer (each pad), Ambience Section: Overhead Mic Simulator; Room Type (25 types); Reverb, Multi-Effects: 21 types, Master Compressor, Master Equalizer, Reverb (for backing part), Chorus (for backing part) • Percussion Sets 8 • USB Memory Song Player Audio File: WAV; MP3 • Sequencer User Patterns: 100, Preset Patterns; 100, Parts; 6, Play Type; Oneshot; Loop; Tap, Recording Method; Realtime, Maximum Note Storage: approx. 40,000 Notes • Display Graphic LCD 80 x 256 dots, 7 segments, 3 characters (LED), TRIGGER Level Indicator (LED) • Faders 8 (KICK, SNARE, TOMS, Hi-HAT, CRASH, RIDE, AUX, AMBIENCE) • Connectors TRIGGER INPUT jack x 15, MASTER OUT jacks (L/MONO, R) (1/4-inch phone type), DIRECT OUT jack x 8 (1/4-inch phone type), DIGITAL OUT jack (Coaxial type, 44.1 kHz/24-bit), PHONES jack (Stereo 1/4-inch phone type), MIX IN jack (Stereo 1/4-inch phone type), MIDI ports (IN, OUT/THRU), USB port (USB-MIDI/Audio), USB MEMORY port, FOOT SW jack (1/4-inch TRS phone type), AC IN jack • Power Supply AC • Power Consumption 18 W • Dimensions mm: 330 (W) x 258 (D) x 106 (H), inches: 13 (W) x 10-3/16 (D) x 4-3/16 (H) • Weight 3.2 kg/7 lbs 1 oz • Accessories owner's manual, CD-ROM (play-along audio song/USB driver), power cord • Options (sold separately), pads (PD series, PDX series), cymbals (CY series), kicks (KD series), hi-hats (VH series, FD series), acoustic drum triggers (RT series), footswitches (FS-5U, FS-6), personal drum monitors (PM-30, PM-10), USB flash memory * Use USB flash memory sold by Roland. We cannot guarantee operation if other products are used.

Stronger V-Edit capabilities, greater freedom to customise

V-EDIT: Muffling Adjustment



Add a virtual "doughnut-style" muffler to the snare or a weighted-type muffler in the bass drum

Ambience Section



Modify the actual acoustics of the virtual space in which you're playing the drums.

OUTPUT Assignments (DIRECT)



Designate routings to the MASTER OUT jacks and DIRECT OUT jacks.

V-EDIT: Shell Material/Depth



Build your own virtual snare drum with COSM-modeled shell material. The depth of the kick and toms can also be changed.

MULTI EFFECTS: Type



Choose one of 21 different effects on a per-kit basis. Each sound has its own effect-send level

OUTPUT MONITOR



This lets you check the output volume of each jack.

V-EDIT: Mic Position



Choose the placement of your virtual microphones.

MULTI EFFECTS: DRY + MFX



The DRY+MFX setting sends only the effect sound to the output, similar to insertion effects.

TRIGGER MONITOR



View realtime information that shows the force with which each pad is struck, how far the hi-hat is open, etc.

PAD EQ



An "equalizer" lets you adjust frequency ranges high, mid, and low

MASTER COMP



The compressor can be used on a per-kit basis, or in a global way for the whole TD-30.

USB Memory SONG PLAYER



Play back audio files from your USB flash memory and change the playback speed if desired.

TD-15 Drum Sound Module













Side Panel







\mathcal{S} –11 Drum Sound Module















Side Panel



Top Panel



TD-15/TD-11 Drum Sound Module Specifications

Drum Kits TD-15: 100 TD-11: 50 • Instruments TD-15: 500 TD-11: 190 • Instrument Parameters Tuning, Muffling, Snare Buzz, Strainer, Tone Color, Volume, Pan • Effect Types Ambience (10 types), 4-Band Equalizer, Multi Effect (10 types) *TD-15 ONLY • Song [Preset songs] TD-15: 23, TD-11: 14 [CD-ROM] SONG: 38, PATTERN: 22 • Quick Rec Resolution: 480 ticks per quarter note; Recording Method; Real-time, Maximum Note Storage; approx. 30,000 Notes • File Format Audio File: WAV/MP3 • Illumination Ring *TD-15 ONLY Dynamic, Kick, Tempo • Display 64 x 128 dots Graphic Type LCD (backlit LCD) • Connectors TRIGGER INPUT connector (DB-25 type) (Kick, Snare, Tom1, Tom2 Tom3, Hi-Hat, Crash1, Ride, Ride Bell, Hi-Hat Control), Extra Trigger Input jacks: TD-15; 2 (CRASH2.AUX) (Stereo 1/4-inch phone type), TD-11: 1 (CRASH2) (Stereo 1/4-inch phone type). OUTPUT jacks (L/MONO, R) (1/4-inch phone type), PHONES jack (1/4-inch phone type), MIX IN jack (stereo miniature phone type), MIDI OUT port, USB COMPUTER port, USB MEMORY port • Interface Hi-Speed USB (USB-MIDI, USB-AUDIO, USB flash memory) • Output Impedance 1.0 k ohms • Power Supply AC adaptor (DC 9 V) • Current Draw TD-15: 450 mA, TD-11: 350 mA • Dimensions mm: 154 (W) x 89 (D) x 225 (H), inches: 6-1/16 (W) x 3-9/16 (D) x 8-7/8 (H) • Weight TD-15: 685 g / 1 lb 9 oz (excluding AC Adaptor). TD-11: 665 g / 1 lb 8 oz (excluding AC Adaptor) • Accessories owner's manual, AC adaptor, special connection cable, wing bolt (M5 x 10) x 2, sound module mounting plate, CD-ROM (Play-along Audio Song/USB Driver) • Options (sold separately) pads (PD series, PDX series), cymbals (CY series), kick (KD series), hi-hat (VH-11), hi-hat control pedal (FD series), stand (MDS series), cymbal mount (MDY series), pad mount (MDH series), acoustic drum trigger (RT series), personal drum monitor (PM-10, PM-30), V-Drums accessory package (DAP-3X), V-Drums mat (TDM-20, TDM-10), USB flash memory * Use USB flash memory sold by Roland. We cannot guarantee operation if other products are used.

New Standard Drum Sound Module with SuperNATURAL Sounds

Powered by SuperNATURAL, these mid-range (TD-15) and entrylevel (TD-11) V-Drums sound modules provide outstanding playability, superb expressiveness, and pro-level operation. Powerful and affordable, it's ideal for both the live stage and recording studio.

Newly developed V-Drums sound module powered by SuperNATURAL >>> see more on P.08

I Diverse sound library covering a wide variety of musical genres

TD-15

I Various types of multi-effect to be utilized for customizing sounds

I QUICK EDIT buttons provide instant editing control over tuning, muffling, and snare strainer TD-15

I Assignable CLICK out, illuminated value dial ring, and function buttons enhance professional live use



I Practical sound-editing function with room-ambience and reverb

I Practice features include Quick Record/Quick Play, plus a unique COACH function that helps players of all levels build drumming skills

I Professionally recorded backing songs onboard, ideal for play-along practice and performance

I Large LCD and icon-driven user interface for easy operation

I USB function provides direct connectivity to computer applications, as well as data backup and playback of WAV and MP3 audio songs

Advanced practice mode

Roland's highly acclaimed Coach Mode is onboard. This is a convenient way to helps players of all levels build drumming skills effectively.

TIME CHECK



This mode lets you practice your timing with the metronome.

OUIET COUNT



This mode will help you develop a good sense of tempo.

WARM UPS

Successively practice steps 1-3, be graded on your performance at each step, and receive a final evaluation.

TD-15/TD-11 Specification Comparison

| | TD-15 | TD-11 |
|---------------------|----------|---------|
| SuperNATURAL Sounds | Yes | Yes |
| Drum Kit (Preset) | 100 (50) | 50 (25) |
| Instrument | 500 | 190 |
| Trigger Input | 11 | 10 |
| Tempo Indicator | Yes* | Yes |
| Ambience | Yes | Yes |
| MFX | Yes | No |
| QUICK EDIT | Yes | No |
| COACH | Yes | Yes |
| QUICK REC | Yes | Yes |
| Internal Song | 23 | 14 |
| USB AUDIO/MIDI | Yes | Yes |

^{*}The TD-15 is equipped with illuminated value dial ring.

PD-128S-BC v-Pad

New V-Pad for snare with improved rim sensor

Pad size: 12 inches Trigger: 2 (Head, Rim) Dimensions: 358 (W) x 322 (D) x 117 (H) mm (14-1/8 x 12-11/16 x 4-5/8 inches) Weight: 3.0 kg (6 lbs



PD-128-BC / PD-108-BC v-Pad

New V-Pad for tom with improved rim sensor

[PD-128-BC] Pad size: 12 inches Trigger: 2 (Head, Rim) Dimensions: 358 (W) x 368 (D) x 117 (H) mm (14-1/8 x 14-1/2 x 4-5/8 inches) Weight: 3 4 kg (7 lbs. 8 cz). Accessories: connection cable, drum key Acceptable rod diameters: 9.0–11.5 mm (3/8–1/2 inch) Usable pipe size: 22.2 mm (7/8 inch)

[PD-108-BC] Pad size: 10 inches Trigger: 2 (Head, Rim) Dimensions: 307 (W) x 317 (D) x 117 (H) mm (12-1/8 x 12-1/2 x 4-5/8 inches) Weight: 3.0 kg (6 lbs. 10 oz.) Accessories: connection cable, drum key Acceptable rod diameters: 9.0–11.5 mm (3/8–1/2 inch) Usable pipe size: 22.2 mm (7/8 inch)



PD-128-BC

PD-125BK / PD-105BK v-Pad

V-Pads - sophisticated style, perfect performance

[PD-128-BC] Pad size: 12 inches Trigger: 2 (Head, Rim) Dimensions: 358 (W) x 368 (D) x 117 (H) mm (14-1/8 x 14-1/2 x 4-5/8 inches) Weight: 3.4 kg (7 lbs. 8 oz.) Accessories: connection cable, drum key Acceptable rod diameters: 9.0–11.5 mm (3/8–1/2 inch) Usable pipe size: 22.2 mm (7/8 inch)

[PD-105BK] Pad size: 10 inches Trigger: 2 (Head, Rim) Dimensions: 280 (W) x 360 (D) x 112 (H) mm (11-1/16 x 14-3/16 x 4-7/16 inches) Weight: 2.3 kg (5 lbs. 2 oz.) Accessories: connection cable, drum key Acceptable rod diameters: 6.3–12.5 mm (1/4-1/2 inch)



*Compatible with CV-20KV-BU/-RD shell wrap packages: PD-128S-BC/-128-BC/-108-BC/-125BK/-105-BK/KD-140-BC

PDX-100 v-Pad

Compact and lightweight 10-inch V-Pad

Pad size: 10 inches Trigger: 2 (Head, Rim) Dimensions: 310 (W) x 325 (D) x 90 (H) mm (12-1/4 x 12-13/16 x 3-9/16 inches) Weight: 1.8 kg (4 lbs.) Accessories: connection cable, drum key Acceptable rod diameters: 9.0–13.0 mm (3/8–9/16 inch) Usable pipe size: 22.2 mm (7/8 inch)



PD-85BK v-Pad

Comfortable feel 8-inch V-Pad

Pad size: 8 inches Trigger: 2 (Head, Rim) Dimensions: 245 (W) x 310 Pad size: 8 Interes Inigger: 2 (nead, kim) Dimensions: 245 (W) x 510 (D) x 95 (H) mm (9-11/16 x 12-1/4 x 3-3/4 inches) Weight: 1.7 kg (3 lbs. 12 oz.) Accessories: connection cable, drum key Acceptable rod diameters: 8.5–11.5 mm (3/8 to 1/2 inch)



PDX-8 / PDX-6 v-Pad

V-Pads — ideal for simple kit

[PDX-8] Pad size: 8 inches Trigger: 2 (Head, Rim) Dimensions: 266 (W) x 326 (D) x 62 (H) mm (10-1/2 x 12-7/8 x 2-1/2 inches) Weight: 1.3 kg (2 lbs. 14 oz.) Accessories: connection cable, drum key Acceptable rod diameters: 9–11.5 mm (3/8 to 1/2 inch)




(PDX-6) Pad size: 6.5 inches Trigger: 2 (Head, Rim) Dimensions: 227 (W) x 286 (D) x 63.5 (H) mm (8-15/16 x 11-5/16 x 2-1/2 inches) Weight: 1.1 kg (2 lbs, 7 oz.) Accessories: connection cable, drum key Acceptable rod diameters: 9–11.5 mm (3/8 to 1/2 inch)

PD-8 Pad

High cost-performance rubber pad

Pad size: 8.5 inches Trigger: 2 (Head, Rim) Dimensions: 226 (W) x 280 (D) x 54 (H) mm (8-15/16 x 11-1/16 x 2-1/8 inches) Weight: 1.2 kg (2 lbs. 11 oz.) Accessories: connection cable Acceptable rod diameters: 8-11.5 mm (3/8 x 1/2 inch)



Oversized V-Kick with reinforced hardware

Pad size: 14 inches Dimensions: 550 (W) x 320 (D) x 530 (H) mm (21-11/16 x 12-5/8 x 20-7/8 inches) Weight: 11.0 kg (24 lbs. 5 oz.) Accessories plastic beater, connection cable, drum key * kick pedal not included

KD-120BK v-Kick

Natural triggering with double pedal support

Pad size: 12 inches Dimensions: 490 (W) x 400 (D) x 500 (H) mm (19-5/16 x 15-3/4 x 19-11/16 inches) Weight: 7.7 kg (17 lbs.) Accessories beater, connection cable, drum key * kick pedal not included



KD-9 Kick Pad

The new natural-feel kick pad

Dimensions: 219 (W) \times 203 (D) \times 438 (H) mm (8-5/8 \times 8 \times 17-1/4 inches) Weight: 2.8 kg (6 lbs. 3 oz.) Accessories: connection cable * kick pedal and beater not included



Responsive kick triggering for any percussion setup

Dimensions: 172 (W) x 112 (D) x 100 (H) mm (6-13/16 x 4-7/16 x 3-15/16 inches) Weight: 1.4 kg (3 lbs. 2 oz.) Accessories: beater, connection cable * kick pedal not included

Perfect for compact kits and Roland percussion pads

For more details >>> www.roland.com/V-Drums/

Dimensions: 130 (W) x 396 (D) x 103 (H) mm (5-1/8 x 15-5/8 x 4-1/16 inches) Weight: 1.3 kg (2 lbs. 14 oz.) Accessories: connection cable, drum key

V-Hi-Hat & Cymbal

VH-13-MG V-Hi-Hat

New V-Hi-Hat with improved motion sensor

Size: 12 inches Trigger: 2 (Bow/Edge) Connectors: TRIGGER output jack, CONTROL output jack Dimensions: 314 (W) x 314 (D) x 89 (H) mm (12-3/8 x 12-3/8 x 3-9/16 inches) Weight: 1.9 kg (4 lbs. 4 oz.) Accessories: clutch, clamp, holder 3 kypes), link cable, drum key, cable tie Acceptable hi-hat stand (rod diameters): 6–7 mm (1/4 to 5/16 inch)



VH-11 v-Hi-Hat

Realistic feel, streamlined design

Size: 12 inches Trigger: 2 (Bow/Edge) Connectors: TRIGGER output jack, CONTROL output jack Dimensions: 314 (W) x 314 (D) x 89 (H) mm (12-3/8 x 12-3/8 x 3-9/16 inches) Weight: 1.9 kg (4 lbs. 4 oz.) Accessories: clutch, clamp, holder (3 types), link cable, drum key, cable tie Acceptable hi-hat stand (rod diameters): 6-7 mm (1/4 to 5/16 inch)



CY-15R-MG / CY-15R v-Cymbal Ride

15-inch V-Cymbal for ride

Size: 15 inches Trigger: 3 (Bow/Bell/Edge) Connectors: BOW/BELL output jack, BOW/EDGE output jack Dimensions: 376 (W) x 376 (D) x 50 (H) mm (14-13/16 x 14-13/16 x 2 inches) Weight: 1.6 kg (3 lbs. 9 oz.) Accessories: wing nut, felt washer, stopper, connection cable x 2, cable tie



CY-15R-MG

CY-14C-MG / CY-14C v-Cymbal Crash

14-inch V-Cymbal for crash

Size: 14 inches Trigger: 2 (Bow/Edge) Connectors: BOW/EDGE output jack Dimensions: 352 (W) x 352 (D) x 48 (H) mm (13-7/8 x 13-7/8 x 1-15/16 inches) Weight: 14 kg (3 lb. 2 o z.) Accessories: wing nut, felt washer, stopper, connection cable, cable tie



CY-13R v-Cymbal Ride

13-inch V-Cymbal for ride

Size: 13 inches Trigger: 3 (Bow/Bell/Edge) Connectors : BOW/EDGE output jack, BELL output jack Dimensions: 331 (M) x 331 (D) x 48 (H) mm (13-1/16 x 13-1/16 x 1-15/16 inches) Weight: 1.1 kg (2 lbs. 7 oz.) Accessories: wing nut, felt washer, stopper, connection cable x 2, cable tie



12-inch V-Cymbal for both ride and crash

Size: 12 Inches Trigger: 3 (Bow/Bell/Edge) Connectors: BOW/BELL output jack, BOW/EDGE output jack Dimensions: 300 (W) x 300 (D) x 51 (H) mm (11-13/16 x -11-13/16 x -21/16 inches) Welgblt: 1.1 kg (Z bs. 7 oz.) Accessories: wing nut, felt washer, stopper, connection cable, cable tie



CY-12C v-Cymbal Crash

12-inch V-Cymbal for crash

Size: 12 inches Trigger: 2 (Bow/Edge) Connectors: BOW/EDGE output jack Dimensions: 305 (W) x 305 (D) x 45 (H) mm (12-1/16 x 12-1/16 x 1-13/16 inches) Weight: 940 g (2 lbs. 2 oz.) Accessories: wing nut, felt washer, stopper, connecti



CY-8 Cymbal Pad

12-inch cymbal pad

Size: 12 inches Trigger: 2 (Bow/Edge) Dimensions: 290 (W) x 295 (D) x 45 (H) mm (11-7/16 x 11-5/8 x 1-13/16 inches) Weight: 650 g (1 lbs. 7 oz.) Accessories: connection cable, wing nut, felt washer, stopper



CY-5 Cymbal Pad

Superior response for hi-hat or splash

Size: 10 inches Trigger: 2 (Bow/Edge) Dimensions: 246 (W) x 246 (D) x 45 (H) mm (9-11716 x 9-11716 x 1-13716 inches) Weight: 380 g (14 oz.) Accessories: connection cable, drum key, attachment set for cymbal (wing nut, felt washer, stopper), attachment set for hi-hat (upper clutch, lower clutch, clutch felt US), cable tie



Sound Module and Drum Pad Combinations

You need to select the suitable "Trigger Type (Pad Type)" on the sound module for your pad.

∾ -- No ○ ··· Yes About the table

| Part | | | | V-Pad | | | | | Pad | | _ | V-Cymbal | | | | | | <u> </u> | Cymbal Pad | | V-Hi-Hat | Hat | Kick Pa | d Acoust | Kick Pad Acoustic Drum Trigger | gger |
|--|---------------------|-------------------|--------------------|-----------------------|-------------|------------------|--------|-------------|------|---|---|-------------|-------------|------------|---|--------------|------------|----------|------------|---|----------|-----|---------|-------------------------|--------------------------------|-------------|
| Figure F | pun | Trigger | Pad | PD-128S, PD-125, F | PD-128, I | PD-108, X-100 | PDX-8, | PDX-6 | PD-8 | | J | :Y-15R seri | ies, CY-13F | 1, CY-12R, | | :Y-14C serić | 3s, CY-120 | | Y-8, CY-5 | | VH-1 | | |), RT-10K,), RT-10T | | |
| 4. Seriore Signature Signa | enpo | Input | Playing Methods | Head Shot | Rim Shot | Brush Sweep | | Rim Shot | Head | | | | | | | | | | | | ke | | KD-7, | | Head | Rim Shot |
| 4. Separe the sequence of the | | 1 (KIC | CK) | 0 | 1 | | 0 | ı | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | | 1 | 0 | 0 | 0 | 1 |
| 4.4 & Green (12.4 a) Green (12.4 b) Green (12.4 a) | | 2 (SNA | ARE) | sod. | 0 | | 0 | 0 | 0 | 0 | 0 | sod. | 0 | | 0 | sod. | 0 | 0 | | | | I | 0 | 0 | 0 | 0 |
| Trittelly Colored Colo | | 4, | က် | sod. | sod. | - | 0 | 0 | 0 | 0 | 0 | sod. | 0 | 1 | 0 | sod. | 0 | 0 | | | | 1 | 0 | 0 | 0 | 0 |
| 10. Figure 1. 2. | ç | 7 (HI- | НАТ) | 0 | I | Ι | 0 | ı | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 0 | - |
| H. L. C. | 2 | | \SH1, 2) | 0 | - | 1 | 0 | I | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | 1 | 0 | 0 | 0 | 1 |
| HHMMLS SHARES OF SIND | | 10 (RI | IDE) | sod. | | I | 0 | I | 0 | 0 | 0 | | 0 | 0 | 0 | sod. | 0 | 0 | | | | I | 0 | 0 | 0 | I |
| 1. 1. 1. 1. 1. 1. 1. 1. | | 11 (ED |)GE) ^{"2} | 0 | 1 | I | 0 | ı | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | 1 | 1 | 0 | 0 | 0 | 1 |
| HOWEY SOLUTION | | 12, 13, 14, 15 (4 | AUX1, 2, 3, 4) | sod. | sod. | | 0 | 0 | 0 | 0 | 0 | sod. | 0 | | 0 | sod. | 0 | 0 | | | | 1 | 0 | 0 | 0 | 0 |
| HHAM NOTE STANDE TO THE STANDE | | KIC | X | 0 | I | 1 | 0 | I | 0 | I | I | 0 | I | - | 1 | 0 | I | - | 0 | | | 1 | 0 | 0 | 0 | ı |
| TOWN12.3 | | SNA | IRE | 0 | 0 | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | ' | I | 0 | 0 | 0 | 0 |
| HHHMT GARH12 ON L. L. C. | | TOM 1 | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | 1 | 0 | 0 | 0 | 0 |
| Aux O | TD-15 ^{*4} | | 1AT | 0 | I | 1 | 0 | ı | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | 0 | 0 | 0 | 0 | I |
| Marked Marked Single Sin | | | Н 1, 2 | 0 | I | Ι | 0 | ı | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | - 1 | 0 | 0 | 0 | 1 |
| Mux | | RID | JE J | 0 | ١ | 1 | 0 | ı | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | - | 0 | 0 | 0 | - |
| SNARE (a) (a) </th <th></th> <th>AU</th> <th>×</th> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> | | AU | × | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | 1 | 0 | 0 | 0 | 0 |
| NAME O | | KIC | X | 0 | | I | 0 | ı | 0 | I | 1 | 0 | 1 | | 1 | 0 | 1 | ļ | 0 | _ | _ | - | 0 | 0 | 0 | 1 |
| | | SNA | RE | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | - | 0 | 0 | 0 | 0 |
| HHATT OF LANT | ţ | · | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | | - | 0 | 0 | 0 | 0 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | IAT | 0 | 1 | I | 0 | I | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 | | | | 0 | 0 | 0 | 0 | 1 |
| RIDE O - | | CRASH | Н1,2 | 0 | | I | 0 | ı | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | | | | ı | 0 | 0 | 0 | ı |
| 2 Others 0 <th></th> <th>RID</th> <th>JE J</th> <td>0</td> <td>I</td> <td>Ι</td> <td>0</td> <td>ı</td> <td>0</td> <td></td> <td></td> <td></td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> | | RID | JE J | 0 | I | Ι | 0 | ı | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 1 | 0 | 0 | 0 | 1 |
| Others 0 0° - 0 0° 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | 2 | | 0 | 0 | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | - | 0 | 0 | 0 | 0 |
| | 9-5- | Othe | ers | 0 | 9.0 | 1 | 0 | 9.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 1 | 0 | 0 | 0 | 9.() |

^{*}To enable rim shot, edge shot, bell shot and choking techniques, you'll need to connect the pad with the stereo cable.

¹¹ With two stereo (1/4-inch TRS phone type) cables, you can perform using three different sounds for bow, bell and edge as three-way triggering.

[&]quot;2 When using the ride as three-way triggering, not able to use the edge as an isolated trigger input.

^{&#}x27;3 Responds to pressure on the hi-hat pedal.

*4 The TD-15/TD11 uses a dedicated connection cable for input, two external trigger inputs (Crash 2 and AUX) are also provided.

*5 The TD-15/TD11 uses a dedicated connection cable for input, one external trigger input (Crash 2) are also provided.

*6 With a Y-Cable (PCS-31), rim shots are possible with other trigger inputs in addition to Trigger Input 2.

Drum Stand

MDS-25 Drum Stand

A drum stand for the demanding pro

Accessories: holder x 5, pad arm x 4, cymbal arm x 3, mounting plate, Accessories: noider x >, pad arm x +, cymbal arm x >, mounting pate, drum key, cable tie, connection cable (concealed in pipes) Required Space for Set-up; [Drum Stand only] 1,400 (W) x 950 (D) x 1,100 (H) mm (55-1/8 x 37-1/16 hches), [including Sound Module, Kick Pad, Cymbals and Stool] 1,600 (W) x 1,400 (D) x 1,250 (H) mm (63 x 55-1/8 x 49-1/4 inches) Tube Diameter: [stand] 38.1 mm (1-1/2 inches) [pad arm, cymbal arm] 22.2 mm (7/8 inches) Weight: 20.5 kg (45 lbs. 4 oz.) *including Pad Mounts and Cymbal Mounts



MDS-12V Drum Stand

Compact, solid drum stand for professional studio requirements

Accessories: cymbal mount x 3, pad mount x 4, connection cable (concealed in pipes), drum key, cable clip x 6, mounting plate Requirec Space for Set-up: (Drum Stand onlyl1,200 (W) x 700 (D) x 1,100 (H) mm (47-14 x 27-916 x 43-5/16 inches), [including Sound Module, Kick Pad, Cymbals and Stool] 1,500 (W) x 1,200 (D) x 1,250 (H) mm (59-1/16 x 47-1/4 x 49-1/4 inches). Tube Diameter: [stand] 38.1 mm (1-1/2 inches) [pad arm/cymbal arm] 22.2 mm (7/8 inches). Weight: 15.5 kg (34 lbs. 3 oz.) "including pad mounts and cymbal mounts



MDS-9V Drum Stand

Custom stand for V-Tour series

Accessories: pad mount x 4, hi-hat mount x 1, cymbal mount x 2, drum key, cable clip x 4, cable tie x 2 Required Space for Set-up: (drum stand only] 1,200 (W) x 650 (D) x 850 (H) mm (47-1/4 x 25-5/8 x 33-1/2 inches), (including Sound Module, Kick Pad, Cymbals and Stool] 1,300 (W) x 1,200 (D) x 1,250 (H) mm (51-3/16 x 47-1/4 x 49-1/4 inches) Tube Diameter: 38.1 mm (1-1/2 inches) Weight: 10.0 kg (22 lbs. 1 oz.) *There is no Mounting Plate due to special stand for TD-15 and TD-11.

MDS-4V Drum Stand

Custom stand for V-Compact series

Accessories: pad mount x 4, hi-hat mount x 1, cymbal mount x 2, drum key, cable clip x 4, cable tie x 2 Required Space for Set-up: [drum stand only] 1,000 (W) x 700 (D) x 850 (H) mm (39-3/8 x 27-9/16 x 33-1/2 inches) [including sound module, kick pad, cymbals and stool] 1,200 (W) x 1,100 (D) x 1,250 (H) mm (47-1/4 x 43-5/16 x 49-1/4 inches) Tube Diameter:

38.1 mm (1-1/2 inches) Weight: 8.5 kg (18 lbs. 12 oz.)
*There is no Mounting Plate due to special stand for TD-15 and TD-11.



MDY-25 Cymbal Mount

Cymbal mount for the MDS-25 with flexible ball clamps and dual-mount straight/boom arms



MDH-25 Pad Mount

Tom mount for the MDS-25 with a flexible ball clamp and tilt mechanism



MDY-12 Cymbal Mount

Compatible with all Roland MDS-series for cymbal expandability



MDH-12 Pad Mount

Compatible with all Roland MDS-series for pad expandability



For more details >>> www.roland.com/V-Drums/

Personal Monitor

PM-30 Personal Monitor

Advanced amplification for V-Drums

The PM-30 is a 2.1-channel advanced speaker system with 200 watts of Class-D power, a high-performance 12" woofer with tweeter, a pair of 4" satellite speakers, and a proprietary DSP engine.



CM-220 / CM-110 CUBE Monitor

2.1 monitor system for electronic instruments

The new CM-110 and CM-220 are 2.1-channel system with integrated protection circuit that can take a full-frequency beating while providing fantastic sound, high performance, and CUBE reliability.



CM-220

PM-10 Personal Monitor

Solid, Portable Sound Reinforcement

Designed as a portable companion for Roland V-Drums, the PM-10 is equipped with a 30-watt amplifier and a 10" 2-way coaxial speaker.



Option

ST-CMS1 Monitor Speaker Stand

Mount satellite speaker on the ST-CMS1 with stable, heavy steel legs and height-adjustable feature.



For more details >>> www.roland.com/V-Drums/

Headphones High-quality Headphones Faithfully Reproduce the Powerful, Dynamic Sound of V-Drums

RH-300 Monitor Headphones

The 45mm (1-13/16") drivers and neodymium magnets deliver dynamic, full-range performance. The snug fit shuts out external sound.



RH-A30 Monitor Headphones

Roland's new open-air-type headphones are made for musicians who don't want total isolation from surrounding sounds.



RH-200S Monitor Headphones

With 40mm (1-5/8") drivers, the RH-200S headphones offer the clarity. sonic accuracy, and comfort needed for mixing and silent practice.



RH-iE3 In-Ear Monitors

These attractive in-ear headphones full-range sound with deeper bass and extended frequency performance.



RH-PM5 In-Ear Monitors

The RH-PM5 are balanced in-ear monitors tuned for the best possible on-stage and studio monitoring.



RH-L20 Monitor Headphones

The stylish headphones handle rhythm sections powerfully and clearly, making them also an ideal choice for V-Drums practice.



feature advanced drivers for a balanced.



For more details >>> www.roland.com/V-Drums/

V-Drum Mat -

TDM-20 / TDM-10 v-Drums Mat

Large/medium size heavy-duty drum mat with V-Drums logo

[TDM-20] Dimensions 1,600 (W) x 1,500 (D) x 8 (H) mm (63 x 59-1/16 x 0-3/8 inches) Weight 3.0 kg (6 lbs. 10 oz.) Compatible models: TD-30KV, TD-30K, TD-15KV (TD-M10) Dimensions 1,200 (W) x 1,000 (D) x 8 (H) mm (47-1/4 x 51-3/16 x 0-3/8 inches) Weight 2.1 kg (4 lbs. 11 oz.) Compatible models: TD-15K, TD-11KV, TD-11K



Accessory

DAP-3X V-Drums Accessory Package

Essentialaccessories for V-Drummers

DAP-3X components • kick pedal drum thronedrum sticks



CYM-10 Cymbal Parts Set

Repair-parts package for V-Cymbals



FS-6 Dual Footswitch

Double Your

Pad Stand PDS-10

DP-2 Pedal Switch

Connection

cable for pad/

footswitches Cable length: 2.5m

Momentary footswitch

for selecting tones, etc

PCS-31L Connection Cable

Using the PCS-31L, you can

connect two single-trigger pads to a particular stereo trigger inpu

Solid Percussion-Controller Support



MDP-7 Mounting Plate

Mounting plate for TD-series drum sound module



DBOSS

BUSS

FS-5U Footswitch

Footswitch for wide applications



PSA-100 AC Adaptor (for RMP-5)

Compatible with RMP-series



Switching Power



CV-20KV-BU / CV-20KV-RD Shell Wrap Package

Custom finish package in Blue/Red brushed metal

[Contents and compatible size of Covers] Covers for PD-1285-BC/128-BC x 3 "Size: 77 (H) x 927 (W) x 1 (D) mm (3-1/16 x 36-1/2 x 1/16 inches) Covers for PD-108-BCX x 5-Size: 77 (H) x 1 (D) mm (3-1/16 x 30-1/4 x 1/16 inches) Cover for KD-140-BC x 1 "Size: 120 (H) x 1,040 (W) x 1 (D) mm (4-3/4 x 41 x 1/16 inches) "Also compatible with the PD-125XS/PD-125X/PD-105X/KD-140 (W) x 1 (D) mm (4-3/4 x 41 x 1/16 inches) "Also compatible with the PD-125XS/PD-125X/PD-105X/KD-140 (PD-125XS/PD-125X/PD-1







Drums Trigger System

Triggers for acoustic drums

RT-10K Kick Trigger

Trigger for bass drum

Trigger: 1 Guide for Installation: [rim height] 30 to 36 mm / 1-3/16 to 1-7/16 inch, [rim thickness (max.)] 13 mm / 9/16 inch



RT-10T Tom Trigger

Trigger for tom

Triggers: 1 (Head) Guide for Installation: [Rim Height] 11 to 15 mm (7/16 to 5/8 inch)



TMC-6 Trigger MIDI Converter

Play MIDI modules from an acoustic set!





RT-10S Snare Trigger

Trigger for snare drum

Triggers: 2 (head, rim) Guide for Installation: [rim height:] 11 to 15 mm / 7/16 to 5/8 inch



For more details >>> www.roland.com/V-Drums/

For more details >>> www.roland.com/V-Drums/

Digital Percussion

SPD-SX Sampling Pad

The ultimate percussive sampling instrument

The SPD-SX Sampling Pad puts powerful sample creation and playback under your sticks with innovative audio-capturing features, expressive playability, three multi-effects engines, and much more.



RMP-5 Rhythm Coach

dvanced Rhythm Trainer with Built-In Sounds

The RMP-5 has a convenient one-piece molded body with integrated pad and brain, along with a great-feeling, tunable mesh drumhead.



RMP-12 Marching Percussion

A Revolution in Marching Percussion

With 12-inch mesh pad with rim triggering and sound module loaded with hundreds of instantly-selectable instruments and sound effects, the RMP-12 offers expression and versatility that acoustic percussion can't match.



Drums Training Software

V-Drums Tutor DT-1

Get on the Fast Track to Drumming

Connect your Roland V-Drums to your computer (Mac/Windows) and prepare for a learning experience like no other.







*Drum mat, monitor speaker, drum throne, and stick not included

V-Drums Lite HD-3

Fun, Friendly Drums for Every Home

Fun, compact V-Drums for all levels of drummers, gamers, and home-entertainment enthusiasts 20 preset kits with dedicated select buttons

Informative backlit LCD

Beater-less kick with improved playing feel and low acoustic noise New cloth-head toms with improved playing feel and design Dual-trigger pads for snare and crash/ride

Metronome with selectable sounds and adjustable tempo



and V-Drums Friend Jam for iPhone — new iOS Apps for Roland Wireless Connect that let Roland electronic musical instruments such as TD-30/TD-15/TD-11 communicate fluidly with the iPhone. (Requires the WNA1100-RL wireless USB adaptor, sold separately.)

* In order for the mobile device to communicate with compatible musical instruments, you need a wireless LAN access point with an Internet connection



Photo: V-Drums Friend Jam for iPhone





V-Drums Website

Essential Online Resources, Specs, Details, and Downloads



Interested in learning more about the latest, greatest Roland V-Drums? Visit this special website for exciting details and demos of each product. And for V-Drums owners, each site offers downloadable software updates and a variety of other important info.



www.roland.com/V-Drums/





MIDI Visual Control is an internationally-used recommended practice that was added to the MIDI specification so that visual expression could be linked with musical performance.

that visual expression could be linked with musical performance.

Video equipment that is compatible with MIDI Visual Control can be connected to electronic musical instruments via MIDI in order to control video equipment in tandem with a performance.



Bring more music into your life.

Roland invites everyone to experience the joy of making music.

Roland, V-Drums, V-Pro, V-Tour, V-Compact, V-Hi-Hat, V-Cymbals, COSM, Air Recorder,

and SuperNATURAL are either registered trademarks or trademarks of Roland Corporation in the United States and/or other countries. All specifications and appearances are subject to change without notice.

Company names and product names appearing in this document are registered trademarks or trademarks of their respective owners.

It is forbidden by law to make an audio recording, video recording, copy or revision of a third party's copyrighted work (musical work, video work, broadcast, live performance, or other work), whether in whole or in part, and distribute, sell, lease, perform, or broadcast it without the permission of the copyright owner. Do not use this product for purposes that could infringe on a copyright held by a third party.

We assume no responsibility whatsoever with regard to any infringements of third-party copyrights arising through your use of this product.



Visit us online at www.roland.com/V-Drums/ www.Roland.com